



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005605201

Filing Deadline: January 15, 2013

FRN: 0001634443

Filing Date: 01/15/2013 04:11 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cable & Communications Corporation

Brand Names: Mid-Rivers Wireless
Mid-Rivers Cellular

PO Box: 280

Street Address: 904 C Avenue

City: Circle

State: MT

Zip Code: 59215

Contact Name: Angie Beery

Contact Phone: (406) 485-3301

Contact Fax: (406) 485-2924

Contact Email: angie.beery@midrivers.coop

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Communications Advisory Counsel LLC
PO Box:
Street Address: 2154 Wisconsin Avenue NW
City: Washington
State: DC
Zip Code: 20007

Contact Name: Sylvia Lesse
Contact Phone: (202) 333-5273
Contact Fax: (202) 333-5274
Contact Email: Sylvia@Independent-tel.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.midrivers.com/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Mid-Rivers Wireless hearing aid compatibility information sheet is available at each retail outlet and is reviewed regularly to ensure continuing accuracy. Mid-Rivers continues the practice of including HAC information in customer invoices periodically, and maintains signs in each retail location encouraging customers and prospective customers to ask a sales representative about HAC issues. Information regarding hearing aid compatibility is also available on the Company's web site.

Methodology for Functionality Levels

C&CC assigns each compliant handset a level of functionality based upon the company's assessment of two factors: price and operating features. Lower priced handsets with fundamental capabilities are defined as "Basic". More advance functions or functionality, such as availability of a better quality camera or enhanced memory, together with a higher price, results in classifying a handset as "Intermediate". More expensive phones with the availability of Wireless Internet or Wi-Fi capability or an operations system that supports advanced applications are classified as "Advanced".

Report Remarks

You have reported the following handset model summary information.
Total number of handsets offered: 13

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	13	100%						13

Handset 1: Motorola Quantico W845

Handset Maker

Motorola

Handset Model Name

FCC ID

Quantico W845	IHDT56KS1
W845	IHDT56KS1
W845 Quantico	IHDT56KS1
Quantico	IHDT56KS1

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate

Remarks

Handset 2: Motorola Grasp WX404

Handset Maker

Motorola

Handset Model Name

FCC ID

Grasp WX404

IHDT56LC1

Grasp

IHDT56LC1

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/10 to 02/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate

Remarks

Handset 3: Samsung SCH-R631

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R631	A3LSCHR631
R631 Messenger	A3LSCHR631
Messenger Touch	A3LSCHR631
Messenger	A3LSCHR631
R631 Messenger Touch	A3LSCHR631
Messenger Touch R631	A3LSCHR631

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate

Remarks

Handset 4: HTC Desire 6275

Handset Maker

HTC

Handset Model Name

FCC ID

Desire 6275	NM8PB99400
6275 Desire	NM8PB99400
Desire	NM8PB99400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/10 to 06/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 5: Samsung Contour R250

Handset Maker

Samsung

Handset Model Name

FCC ID

Contour R250	A3LSCHR250A
SCH-R250	A3LSCHR250A
R250 Contour	A3LSCHR250A
R250	A3LSCHR250A

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 02/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 6: Samsung R640 Character

Handset Maker

Samsung

Handset Model Name

R640 Character
Character

FCC ID

A3LSCHR640
A3LSCHR640

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate

Remarks

Handset 7: HTC 6225 Wildfire

Handset Maker

HTC

Handset Model Name

6225 Wildfire
Wildfire
Wildfire 6225

FCC ID

NM8PD06100
NM8PD06100
NM8PD06100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 8: LG AN430

Handset Maker

LG

Handset Model Name

FCC ID

AN430	BEJUN430
Wine II Refresh	BEJUN430
AN430 Wine II	BEJUN430
Wine II	BEJUN430
Wine II AN430	BEJUN430

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 9: LG AS855 Ignite

Handset Maker

LG

Handset Model Name

AS855 Ignite
Ignite

FCC ID

BEJLS855
BEJLS855

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 10: Motorola Milestone 3 XT861

Handset Maker

Motorola

Handset Model Name

Milestone 3 XT861
Milestone 3

FCC ID

IHDT56MF1
IHDT56MF1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 11: Samsung CHRONO

Handset Maker

Samsung

Handset Model Name

FCC ID

CHRONO

A3LSCHR261

R261 Chrono

A3LSCHR261

Chrono R261

A3LSCHR261

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 12: Samsung Admire

Handset Maker

Samsung

Handset Model Name

FCC ID

Admire	A3LSCHR720
R720 Admire	A3LSCHR720
Admire R720	A3LSCHR720

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 13: LG Optimus Plus (AS695)

Handset Maker

LG

Handset Model Name

FCC ID

Optimus Plus (AS695)	znfas695
Optimus Plus	ZNFAS695

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Certification

This Report has been certified by:

Bill Wade General Manager
01/15/2013 04:11 PM